PROTOCOL SUMMARY


VISIT 1: PRENATAL



HEALthy Brain and Child Development

Babies · Brains · Bright Futures

HBCDStudy.org



3

The HEALthy Brain and Child Development Study

The HBCD Study is the largest longitudinal study of early brain and child development in the United States. Knowledge gained from this research will have lasting impacts on future generations of children.

This ambitious project will enroll approximately 7,500 participating families from across the United States and follow them from pregnancy through early childhood. The HBCD Research Consortium consists of the HBCD Consortium Administrative Core (HCAC), the HBCD Data Coordinating Center (HDCC), and 28 recruitment sites across the country (see map).


Leading researchers in the fields of child development and neuroscience will work with participating families and their children to understand how the brain develops and how exposure to substances and other environmental, social, and biological factors during pregnancy and after birth impact outcomes.

HBCD Open Science Model

The data generated in the study will be made broadly available to the research community through an open science model and serve as a resource to support numerous additional studies and foster new hypotheses to be explored.

Locations of HBCD Recruitment Sites in the United States






Prenatal

HBCD Measure	What it Measures	Time (min)		
Maternal Health				
American Psychiatric Association (APA) DSM-5 Level 1	Current mental health symptoms, including depression, anxiety, sleep problems, memory, psychosis, personality functioning, etc.	5		
APA Patient-Reported Outcome Measurement Information System (PROMIS) Level 2	More detailed current mental health symptoms, including anxiety, depression, anger, sleep disturbances, mania, obsessive-compulsive behaviors, and personality functioning	5		
DSM-5 Severity Scales - Acute Stress or Post- Traumatic Stress Disorder (PTSD)	Severity of acute stress and PTSD symptoms	5		
Edinburgh Postnatal Depression Scale (EPDS)	Symptoms of postnatal depression	3		
Family History Assessment Module (FHAM)	Family alcohol and substance use, psychiatric history	3		
Health History	Parental and current pregnancy health history, medication and other substance exposures	30		
	Substance Use			
Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)	Lifetime and prenatal substance use	10		
Timeline Followback (TLFB)	Quantitative estimates of prenatal alcohol and substance use	30		
Biospecimen Collection				
Maternal Blood (whole, serum, plasma)	Metals, nutrition, toxins, proteins	10		
Maternal Nails	Substance and environmental exposures	15		
Maternal Saliva	Genome-wide association studies (GWAS), Epigenome-wide association studies (EWAS), transcriptomes	10		
	Substance and environmental exposures	10		

Prenatal

HBCD Measure	What it Measures	Time (min)	
Culture and Environment			
Baby's First Years (BFY) Services/Support	Use of benefit programs and services during the past 12 months	4	
Baby's First Years (BFY) Economic Stress	Experiences with economic stress during the past 12 months	6	
Demographics	Race, ethnicity, marital status, gender identity, sexual orientation, education, income, jobs during pregnancy and work-related environmental exposures (see below), active-duty military	10	
Intimate Partner Violence (E-HITS)	Physical or emotional intimate partner violence during the past month	2	
Patient-Reported Outcome Measurement Information System (PROMIS) Social Support / Perceived Stress	Availability of social support and perceptions of stress during the past month	4	
Protective and Compensatory Experiences (PACES)	Experiences that protect against risk and increase resilience during the past 12 months	5	
PhenX Discrimination	Experiences with unfair and discriminatory treatment during the past 12 months	3	
PhenX Neighborhood Safety	Perceptions about safety and crime in the neighborhood	1	
Work-related Environmental Exposures	Environmental exposures related to employment during pregnancy (temperature, physical activity, noise levels, use of safety and protective equipment, chemicals)	5	
Total visit time (min)			

All measures in the prenatal visit apply to the birthing parent only. A proportion of participants (no more than 10%) will be recruited within five days of birth and will complete these assessments postnatally.





HEALthy Brain and Child Development

Babies · Brains · Bright Futures

HBCDStudy.org